HANDHELD COMPUTERS

Product availability and specifications depend on territoty market strategy; all are subjects to change without prior notice.
 ZEBEX is the trademark of ZEBEX INDUSTRIES INC., all rights reserved.



B1F-1, 207 Besin Rd, Sec. 3 Sindian City, Taipei, Taiwan
T. +886-2-8913 2598
F. +886-2-8913 2596 E. mail@zebex.com W. www.zebex.com

Z-2060 Series

Windows CE.NET Handheld Computer

The Z-2060 Series compact handheld computer is designed to bring efficiency and productivity to almost anywhere your work may be. It integrates with 1D/2D scanner, 802.11b/g wireless communication, touch screen, and 31-key keypad, yet ergonomically fit for one-hand operation.

- High quality yet rugged design
- Mini SD I/O slot for extra storage expandability
- Easy system control tool and software development solution

MODELS Engine Type	Z-2060 1D laser scan engine	Z-2062 2D image reader
SYSTEM CPU Operating System RAM F-ROM Display Audio Keypads & Buttons Interfaces Expansion Slot	Marvell PXA 270 520 MHz processor Microsoft® Windows® CE.NET 5.0 128MB SDRAM 64MB Flash ROM 3.5" QVGA (240 × 320 pixels) color transflective TFT LCD with touch panel and LED back light One audio jack, one speaker, one microphone Total 31 keys for full alpha/numeric input and system control keypad with LED back light RS-232, USB 1.1 Client One mini-SD I/O card slot for removable memory cards up to 4GB	
RADIO COMMUNICATION WPAN WLAN	BT Class 2 Compliance IEEE 802.11 b/g	
POWER Main Battery Backup Battery	5,000 mAH, 3.7V, Li-Ion recha Li-Poly rechargeable battery	argeable battery
PHYSICAL Dimensions Weight	190.5 × 82.8 × 50.5 mm Approx. 480 g (battery include	od)
ENVIRONMENTAL Operating Temperature Storage Temperature Operating Humidity Storage Humidity Drop Durability Environmental Sealing	0°C – 50°C (32°F – 122°F) -10°C – 60°C (14°F – 140°F) 10% – 70% RH (non-condensi 5% – 70% RH (non-condensir Withstand 1.2M drop onto con IP64 rated sealing	ng)
	Withstand 1.2M drop onto con	

NCC, BSMI

CE EN55022/24 & FCC Part 15B, RF (CE, FCC), LVD,





























